

11

Importante: Removendo serviços

Importante

Agora que terminamos o curso, é importante remover os serviços alocaos na Amazon com o objetivo de evitar cobranças. Para isso, vá até o painel de serviços da Amazon e pesquise por **RDS**. Feito isso, clique na aba **Instances** e selecione a instância configurada com o banco de dados do MySQL. Clique no botão **Instance Actions** e posteriormente clique em **Delete**, com isso teremos a remoção dessa instância.

The screenshot shows the AWS RDS Instances page. A MySQL instance named "banco-casadocodigo" is listed. A context menu is open over this instance, with the "Delete" option highlighted. Other options in the menu include "See Details", "Create Read Replica", "Create Aurora Read Replica", "Promote Read Replica", "Take Snapshot", "Restore to Point in Time", and "Migrate Latest Snapshot". Below the instance list, there is a section for "Alarms and Recent Events" showing log entries for backup completion and instance creation. On the right, there is a monitoring dashboard displaying metrics like Read IOPS, Write IOPS, and Swap Usage over time.

Na sequência, pesquise pelo serviço do *Elastic Beanstalk*, vá até o nível da aplicação que criamos (**casadocodigo**) e remova a aplicação clicando no botão **Actions -> Delete Application**. Com isso, todos os ambientes e instâncias alocaadas nessa aplicação serão removidas.

The screenshot shows the AWS Elastic Beanstalk Applications page. The "casadocodigo" application is selected. In the "Actions" dropdown menu, the "Delete application" option is highlighted. Other options in the menu include "Create environment", "Restore terminated environment", and "Swap environment URLs".